



Pick X:00 Holen ()

TEST REPORT

COMMISSION DELEGATED REGULATION (EU) No 874/2012 Supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labeling of electrical lamps and luminaires

Report Reference No...... SZANL181025008-01

Tested by Dick Xiao

(printed name + signature)

Supervised by Helen Li (printed name + signature)

Date of issue 2018-10-29

Testing LaboratoryShenzhen Anbotek Pengcheng Compliance Laboratory Limited

1/F., Bldg C, Gold Power Industrial Park, Julongshan Grand Industrial Zone, Pingshan New District, Shenzhen, Guangdong, China

Testing location...... Same as above

Applicant's Name Shenzhen Qinhan Lighting Co., Limited

A building, Chuangze Industrial City, Dalang Town, Dongguan,

Guangdong, China.

Test Specification:

Standard COMMISSION REGULATION (EU) No 874/2012

Test procedure...... Test Report

Non-standard test

N/A method.....

Test Report Form No...... 874/2012/EU_V1.2

Test Report Form(s) Originator: Shenzhen Anbotek Pengcheng Compliance Laboratory Limited

Master TRF......N/A

Test Item DescriptionLED HIGH BAY LIGHT

Trade Mark: 🐧

Manufacturer.....: Shenzhen Qinhan Lighting Co., Limited

A building, Chuangze Industrial City, Dalang Town, Dongguan,

Guangdong, China.

Model/Type reference......QH-HBGKH-150W

Ratings......230 VAC, 50/60 Hz, 150 W



Report No.: SZANL181025008-01

Summary of Testing:			
Tests performed (name of test and test clause):	Testing location:		
The sample(s) tested complies with the requirements of COMMISSION DELEGATED REGULATION (EU) No 874/2012. These tests fulfill the requirements of standard ISO/IEC 17025. The test was conducted at 230 VAC, 50 Hz.	Shenzhen Anbotek Pengcheng Compliance Laboratory Limited 1/F., Bldg C, Gold Power Industrial Park, Julongsh Grand Industrial Zone, Pingshan New District, Shenzhen, Guangdong, China		
Normative References:			
Non-directional lamps ☐ CIE 84:1989 ☐ EN60357:2017 ☐ EN 60969:2004 ☑ EN 62722-2-1:2016 ☐ IEC 62717:2015	Directional lamps ☐ CIE 84:1989 ☐ EN 60357:2017 ☐ EN 60969:2004 ☐ EN61167:2011 ☐ EN 62612:2015 ☐ IEC 62717:2015 ☐ EN 62722-2-1:2016		
Summary of Compliance with National Differences			
N/A			
Copy of Marking Plate:			



Report No.: SZANL181025008-01

Test Item Particulars:			
Lamp type Directionality type	: ☑LED ☐Fluorescent lamps ☐High-intensity discharge lamps ☐Filament lamps		
Possible Test Case Verdicts:			
Test case does not apply to the test object: Test object does meet the requirement: Test object does not meet the requirement	P (Pass)		
Testing:			
Date of receipt of test item Date (s) of performance of tests			
General Remarks:			
The test results presented in this report relate only to This report shall not be reproduced, except in full with laboratory. "(See Enclosure #)" refers to additional information as "(See appended table)" refers to a table appended to Throughout this report a comma (point) is used as the List of test equipment must be kept on file and available.	out the written approval of the Issuing testing opended to the report. the report. e decimal separator.		
General Product Information:			
N/A			





	EU 874/2012				
Clause	Requirement + Test	Result – Remark	Verdic		
ANNEX I	Label				
1	Label for electrical lamps presented at a point of sale	Market Control of the	N/A		
	(1) The label if it is not printed on the packaging				
	(2) The required information shall be included on the label				
	(3) If the label is printed on the packaging, the label shall then be chosen form directive				
	(4) The design of the label		N/A		
2.	Label for luminaires presented at a point of sale	Marie Committee of the	N/A		
Manager Co.	(1) The label shall be the relevant language version, and shall be as shown in directive required illustration				
\$10 ¹⁰	(2) The required information shall be included in the label				
	(3) The energy label for luminaire	and the same of th	N/A		
	(4) The design of the label shall be as in the figure on directive				
ANNEX II	II Product fiche for electrical lamps				
18 N	The fiche shall contain the information specified for the label.				
	Where product brochures are not supplied, the label provide with the product can also be considered to be the fiche.	Proper Mendels William	N/A		
ANNEX III	Technical documentation	A STATE OF THE STA	N/A		
	The technical documentation referred to in Article 3(1)(k	o) and (2)(a) shall include:	N/A		
	(a) The name and address of the supplier;	Paradest Patrice	N/A		
	(b) A general description of the model, sufficient for it to be unequivocally and easily identified;	Andrew Property and Control	N/A		
West of	(c) Where appropriate, the reference of the harmonized standards applied;	Napatage Papatage St	N/A		
	(d) Where appropriate, the other technical standards and specification used;	- particular superior	N/A		
A CALLES	(e) The identification and signature of the person empowered to bind the supplier;	Section Franchise	N/A		
e Antologi Marchala America	(f) The technical parameters for determining energy consumption and energy efficiency in the case of electrical lamps, and compatibility with lamps in the case of luminaires, specifying at least one realistic combination of product settings and conditions in which to test the product;	Andreas Andrea	N/A		



	EU 874/2012		
Clause	Requirement + Test	Result – Remark	Verdic
	(g) For electrical lamps, the results of calculations performed in accordance with Annex VII. The information contained in this technical documentation may be merged with the technical documentation provided in accordance with measures under Directive 2009/125/EC.		N/A
ANNEX IV	Information to be provided in cases where final owne product displayed	ers cannot be expected to see the	N/A
1.	The information referred to in Article 4(1)(a) shall be provided in the following order:		N/A
	(a) The energy efficiency class as defined in Annex VI;	Articles Ann	N/A
Paristra A	(b) Where required by Annex I, the weighted energy consumption in kWh per 1000 hours, rounded up to the nearest integer and calculated in accordance with part 2 of Annex VII.	Color Belleville Belleville	N/A
2.	When other information contained in the product fiche is also provided, it shall be in the form and order specified in Annex II.		N/A
3.	The size and font in which all the information referred to in this Annex is printed or shown shall be legible. En 26.9.2012 Official Journal of the European Union L 258/17.	Action of the second	N/A
ANNEX VI	Energy efficiency class	Page No.	Р
	The energy efficiency class of a lamp shall be determ	nined as follows:	
	Lamps operating on external halogen lamp control gear	P _{cor} =P _{rated} x1.06	N/A
	Lamps operating on external LED lamp control gear P _{cor} =P _{rated} x1.10 =149.45X1.10 =164.40 W		Р
Fluorescent lamps of 16mm diameter (T5 lamps) and 4-pin single capped fluorescent lamps operating on external fluorescent lamp control gear		P _{cor} =P _{rated} x1.10	N/A
		$0.24\sqrt{\varnothing_{use}} + 0.0103\varnothing_{use}$	N/A
t to the	Lamps operating on external high-intensity discharge lamp control gear	P _{cor} =P _{rated} x1.10	N/A
Angel Control	Lamps operating on external low pressure sodium lamp control gear	P _{cor} =P _{rated} x1.15	N/A
	For models with Φ _{use} < 1300 lumen	and the second of the second o	N/A
. 644	$P_{ref} = 0.88 \sqrt{\Phi_{use} + 0.049 \Phi_{use}}$	A CANADA	N/A
	For models with Φ _{use} ≥ 1300 lumen	18268.86 lm	Р
	P _{ref} =0.07341Φ _{use}	1341.12	Р





Requirement + Test EEI=P _{cor} /P _{ref}		Result – Remark	Verdict P	
		164.40/1341.12=0.12		
Energy efficiency class	EEI for non-directional lamps	☐ EEI for directional lamps	And the second s	Р
A++	EEI≤0.11	EEI≤0.13	Marketin Rep. 1988	N/A
A+	0.11 <eei≤0.17< td=""><td>0.13<eei≤0.18< td=""><td>A+</td><td>Р</td></eei≤0.18<></td></eei≤0.17<>	0.13 <eei≤0.18< td=""><td>A+</td><td>Р</td></eei≤0.18<>	A+	Р
Α	0.17 <eei≤0.24< td=""><td>0.18<eei≤0.40< td=""><td>And the same of th</td><td>N/A</td></eei≤0.40<></td></eei≤0.24<>	0.18 <eei≤0.40< td=""><td>And the same of th</td><td>N/A</td></eei≤0.40<>	And the same of th	N/A
В	0.24 <eei≤0.60< td=""><td>0.40<eei≤0.95< td=""><td>The state of the s</td><td>N/A</td></eei≤0.95<></td></eei≤0.60<>	0.40 <eei≤0.95< td=""><td>The state of the s</td><td>N/A</td></eei≤0.95<>	The state of the s	N/A
С	0.60 <eei≤0.80< td=""><td>0.95<eei≤1.20< td=""><td>Age Control</td><td>N/A</td></eei≤1.20<></td></eei≤0.80<>	0.95 <eei≤1.20< td=""><td>Age Control</td><td>N/A</td></eei≤1.20<>	Age Control	N/A
D	0.80 <eei≤0.95< td=""><td>1.20<eei≤1.75< td=""><td>Marie Contraction of the Contrac</td><td>N/A</td></eei≤1.75<></td></eei≤0.95<>	1.20 <eei≤1.75< td=""><td>Marie Contraction of the Contrac</td><td>N/A</td></eei≤1.75<>	Marie Contraction of the Contrac	N/A
E	EEI>0.95	EEI>1.75	\$1900 AM	N/A
I Energy consumption				
calculated in kW rounded to two central E _c = P _{cor} x1000 h	/h/1000 h as follow decimal places: /1000	ws and is	P _{cor} =149.45X1.10=164.40 W E _c =164.40 kWh/1000	in the state of th
	EEI=P _{cor} /P _{ref} Energy efficiency class A++ A+ A B C D E Energy consum The weighted er calculated in kW rounded to two consumed to	EEI= P_{cor}/P_{ref} Energy efficiency class \square EEI for non-directional lamps A++ \square EEI≤0.11 A+ \square 0.11<\(\text{EEI}\le \mathbb{O}.17\) B \square 0.24<\(\text{EEI}\le \mathbb{O}.80\) C \square 0.60<\(\text{EEI}\le \mathbb{O}.80\) D \square 0.80<\(\text{EEI}\le \mathbb{O}.95\) Energy consumption The weighted energy consumption calculated in kWh/1000 h as follow rounded to two decimal places: \square	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{ c c c c }\hline EEI=P_{cor}/P_{ref} & 164.40/1341.12=0.12 \\ \hline Energy & $







Attachment A –Test Equipment List

Equipment Name	Manufacturer	Model No.	Reference No.	Calibration Due Date
Goniophotometeric System	SENSING	GMS-3000	SE-450	Before Use
Digital Power Meter	YOKOGAWA	WT310	SE-381	2019-06-05
Integrating Sphere (2.0m)	EVERFINE	YF-1000	SE-599	Before Use
Standard Lamp	EVERFINE	D062	SE-606	2019-06-05
Standard Lamp	SENSING	DC24V100W	SE-2091	2019-01-04
Digital Power Meter	YOKOGAWA	WT210	SE-074	2019-06-05
Temperature Recorder	Agilent	34970A	SE-574	2019-06-05
Digital Caliper	UPM	111-312	SE-012	2019-06-05
Digital Multimeter	FLUKE	15B+	SE-593	2019-06-05
AC Power Source	HUAYANG	HY9010	SE-114	2019-06-05
DC Power Source	EVERFINE	WY605	SE-605	2019-06-05



achment B – Product Photo





*****END OF TEST REPORT****